# LG N<sub>e</sub>ON<sup>®</sup> 2 BiFacial

LG395N2T-A5 | LG390N2T-A5



### 395W | 390W

The LG NeON® 2 BiFacial is designed to absorb irradiance not only from the front but also the rear of its NeON® cell by using a transparent back sheet. The dual faces of the cell allows for higher energy generation.







### Feature

ь	1
Ш	1 No. 1
Ш	pinin -T
Ш	25yr

#### Enhanced Performance Warranty

LG NeON® 2 BiFacial has an enhanced performance warranty. LG NeON® 2 BiFacial is guaranteed at least 86% of initial performance.



#### Better Performance on a Sunny Day

LG NeON<sup>®</sup> 2 BiFacial now performs better on sunny days thanks to its improved temperature coefficient.



#### **Bifacial Energy Yield**

LG NeON® 2 BiFacial modules use highly efficient bifacial solar cell, "NeON" applied Cello technology. Through the Cello technology, LG NeON® 2 BiFacial can achieve up to 30% more energy than standard PV module.



#### More Generation on a Cloudy Day

LG NeON<sup>®</sup> 2 BiFacial gives good performance even on a cloudy day due to its low energy reduction in weak sunlight.



#### BOS (Balance Of System) Saving

LG NeON<sup>®</sup> 2 BiFacial can reduce the total number of strings due to its high module efficiency resulting in a more cost effective and efficient solar power system.



#### Near Zero LID (Light Induced Degradation)

The n-type cells used in LG NeON<sup>®</sup> 2 BiFacial have almost no boron, which may cause the initial efficiency to drop, leading to less LID.

#### About LG Electronics

LG Electronics is a global big player, committed to expanding its operations with the solar market. The company first embarked on a solar energy source research program in 1985, supported by LG Group's vast experience in the semi-conductor, LCD, chemistry and materials industries. In 2010, LG Solar successfully released its first MonoX<sup>®</sup> series to the market, which is now available in 32 countries. The NeON<sup>®</sup> (previous. MonoX<sup>®</sup> NeON), NeON<sup>®</sup>2, NeON<sup>®</sup>2 BiFacial won the "Intersolar AWARD" in 2013, 2015 and 2016, which demonstrates LG Solar's lead, innovation and commitment to the industry.



## LG NeON<sup>®</sup> 2 BiFacial

#### LG395N2T-A5 | LG390N2T-A5

#### Electrical Properties (STC\*)

			Bifaical Gain**				LCOODICT AF	Bifacial Gain**			
		LG395N2T - A5	5%	10%	20%	30%	LG390N2T - A5	5%	10%	20%	30%
Maximum Power (Pmax)	[W]	395	415	435	474	514	390	410	429	468	507
MPP Voltage (Vmpp)	[V]	41.8	41.8	41.8	41.9	41.9	41.4	41.4	41.4	41.5	41.5
MPP Current (Impp)	[A]	9.46	9.92	10.39	11.31	12.26	9.43	9.90	10.36	11.28	12.22
Open Circuit Voltage (Voc)	[V]	49.3	49.3	49.3	49.4	49.4	49.2	49.2	49.2	49.3	49.3
Short Circuit Current (Isc)	[A]	10.19	10.70	11.21	12.23	13.25	10.15	10.15	11.17	12.18	13.20
Module Efficiency	[%]	18.7	19.6	20.6	22.4	24.3	18.5	19.4	20.3	22.1	24.0
Operating Temperature	[°C]	-40 ~ +90									
Maximum System Voltage	[V]	1,500(UL) / 1,000(IEC)									
Maximum Series Fuse Rating	[A]	20									
Pmax Bifaciality Coefficient***	[%]	76									
Power Tolerance	[%]	0~+3									

The nameplate power output is measured and determined by LG Electronics at its sole and absolute discretion. \* STC (Standard Test Condition): Irradiance 1,000 W/m<sup>2</sup>, cell temperature 2.5 °C, AM 1.5(Measurement Tolerance ; ±3%, Electrical Parameter Tolerance ; ±5%) \*\* Bracial Gain: The additional gain from the back side compared to the power of the front side at the standard test condition. It depends on installation condition \*\* Pmax Bificiality Coefficient 25years warranty based on front output warranty, tolerance±7%

#### Mechanical Properties


Niechanical Properties			
Cells	6 x 12		
Cell Type	Monocrystalline / N-type 161.7 x 161.7 mm / 6 inches		
Cell Dimensions			
# of Busbar	12(Multi Wire Busbar)		
Dimensions (L x W x H)	2,064 x 1,024 x 40 mm		
	81.26 x 40.31 x 1.57 in		
Front Load	5,400 Pa / 113 psf*		
Rear Load	4,300 Pa / 90 psf*		
Weight	22.0 kg / 48.72 lb		
Connector Type	MC4 (MC), PV-JM601A (JMTHY)		
Junction Box	IP68 with 3 Bypass Diodes		
Cables	1,200 mm x 2 ea / 47.24 in x 2 ea		
Glass	High Transmission Tempered Glass		
Frame Anodized Alumir			

#### Electrical Properties (NOCT\*)

Model		LG395N2T-A5	LG390N2T-A5	
Maximum Power (Pmax)	[W]	292	289	
MPP Voltage (Vmpp)	[V]	38.7	38.3	
MPP Current (Impp)	[A]	7.55	7.54	
Open Circuit Voltage (Voc)	[V]	46.0	45.9	
Short Circuit Current (Isc)	[A]	8.20	8.17	
* NOCT (Nominal Operating Cell Temperature): Irradiance 800 W/m², ambient temperature 20 °C,				

wind speed 1 m/s

#### **Characteristic Curves**



Ĵ Life's Good

LG Electronics Inc. Solar Business Division LG Twin Towers, 128 Yeoui-daero, Yeongdeungpo-gu, Seoul 07336, Korea www.lg-solar.com

Certifications and Warranty

		UL 1703		
		IEC 61215, IEC 61730-1/-2		
Certifications		IEC 61701 (Salt mist corrosion test)		
		IEC 62716 (Ammonia corrosion test)		
		ISO 9001		
Module Fire Performance		Type 1(UL 1703)		
Fire Resistance Class		Class C (ULC/ORD C1703, IEC 61730)		
Product Warranty		15 Years		
Output Warranty of Pmax		Linear Warranty*		
* 1) 1st year: 98%, 2) After 1st year: 0.5% annual degradation, 3) 86% for 25 years				
Temperature Characteristics				
NOCT	[°C]	45 ± 3		
Pmax	[%/°C]	-0.36		
Voc	[%/°C]	-0.27		


#### Dimensions (mm / inch)

lsc



0.03

[%/°C]



\* The distance between the center of the mounting/grounding holes.

DS-T5-72-W-G-P-EN-80305



© 2018 LG Electronics. All rights reserved.

Product specifications are subject to change without notice.