





EXTREME WEATHER RATING

High-tech aluminium alloy frame, certified for high snow (5400 Pa) and wind loads (2400 Pa).



A RELIABLE INVESTMENT

Inclusive 12-year product warranty and 25-year linear performance warranty².



STATE OF THE ART MODULE TECHNOLOGY

Q.ANTUM DUO combines cutting edge cell separation and innovative wiring with Q.ANTUM Technology.

- $^{\rm 1}$ APT test conditions according to IEC/TS 62804-1:2015, method B (–1500 V, 168 h)
- ² See data sheet on rear for further information.


THE IDEAL SOLUTION FOR:





Ground-mounted solar power plants





ELECTRICAL CHARACTERISTICS

PO	WER CLASS			380	385	390	395	400
MIN	IIMUM PERFORMANCE AT STANDARE	TEST CONDITIO	NS, STC1 (P	OWER TOLERANCE	+5W/-0W)			
Minimum	Power at MPP¹	P _{MPP}	[W]	380	385	390	395	400
	Short Circuit Current ¹	I _{sc}	[A]	10.05	10.10	10.14	10.19	10.24
	Open Circuit Voltage ¹	V _{oc}	[V]	47.95	48.21	48.48	48.74	49.00
	Current at MPP	I _{MPP}	[A]	9.57	9.61	9.66	9.70	9.75
	Voltage at MPP	V _{MPP}	[V]	39.71	40.05	40.38	40.71	41.04
	Efficiency ¹	η	[%]	≥18.9	≥19.1	≥19.4	≥19.6	≥19.9
MIN	IIMUM PERFORMANCE AT NORMAL C	PERATING CON	DITIONS, NN	1OT ²				
	Power at MPP	P _{MPP}	[W]	284.4	288.2	291.9	295.6	299.4
Minimum	Short Circuit Current	I _{sc}	[A]	8.10	8.14	8.17	8.21	8.25
	Open Circuit Voltage	V _{oc}	[V]	45.21	45.46	45.71	45.96	46.21
	Current at MPP	I _{MPP}	[A]	7.53	7.57	7.60	7.64	7.67
	Voltage at MPP	V _{MPP}	[V]	37.77	38.08	38.40	38.71	39.02

 $^1\text{Measurement tolerances P}_{\text{MPP}}\pm3\%; \text{I}_{\text{SC}}; \text{V}_{\text{OC}}\pm5\% \text{ at STC}: 1000 \text{W/m}^2, 25\pm2^{\circ}\text{C}, \text{AM 1.5 according to IEC } 60904-3 \cdot ^2800 \text{W/m}^2, \text{NMOT}, \text{spectrum AM 1.5 } 1.5 \text{Measurement tolerances} = 1.5 \text{Measurement toler$


Q CELLS PERFORMANCE WARRANTY

DOUBLE STANDARD OF THE PROPERTY OF THE PROPERT

At least 98% of nominal power during first year. Thereafter max. 0.54% degradation per year. At least 93.1% of nominal power up to 10 years. At least 85% of nominal power up to 25 years.

All data within measurement tolerances. Full warranties in accordance with the warranty terms of the Q CELLS sales organisation of your respective country.

PERFORMANCE AT LOW IRRADIANCE



Typical module performance under low irradiance conditions in comparison to STC conditions (25 $^{\circ}$ C, 1000 W/m²).

TEMPERATURE COEFFICIENTS							
Temperature Coefficient of I _{sc}	α	[%/K]	+0.04	Temperature Coefficient of Voc	β	[%/K]	-0.27
Temperature Coefficient of P _{MPP}	γ	[%/K]	-0.36	Nominal Module Operating Temperature	NMOT	[°C]	43±3

PROPERTIES FOR SYSTEM DESIGN

Maximum System Voltage	V_{SYS}	[V]	1000 (IEC)/1000 (UL)	PV module classification	Class II
Maximum Reverse Current	I_R	[A]	20	Fire Rating based on ANSI/UL 1703	C/TYPE 2
Max. Design Load, Push/Pull		[Pa] 3600/1600		Permitted Module Temperature	-40°C - +85°C
Max. Test Load, Push / Pull		[Pa]	5400/2400	on Continuous Duty	

QUALIFICATIONS AND CERTIFICATES

PACKAGING INFORMATION

IEC 61215:2016; IEC 61730:2016; This data sheet complies with DIN EN 50380.







Number of Modules per Pallet	30
Number of Pallets per Trailer (24t)	24
Number of Pallets per 40' HC-Container (26t)	22
Pallet Dimensions (L × W × H)	2074 × 1130 × 1170 mm
Pallet Weight	746 kg

Note: Installation instructions must be followed. See the installation and operating manual or contact our technical service department for further information on approved installation and use of this product.

Hanwha Q CELLS GmbH

Sonnenallee 17-21, 06766 Bitterfeld-Wolfen, Germany | TEL +49 (0)3494 66 99-23444 | FAX +49 (0)3494 66 99-23000 | EMAIL sales@q-cells.com | WEB www.q-cells.com

