

Model**PS2-200-212****PS2-200-224****Continuous AC Power**200 Watts
200 Watts**Surge AC Power**400 Watts
400 Watts**DC Input Voltage**10.5 - 15.0 VDC
21.0 - 30.0 VDC**Output AC Voltage**

220/230/240 VAC +/- 3%

Output AC Frequency

50/60 Hz. +/- 0.05%

Output AC Waveform

True Sine Wave (THD <3%)

Efficiency @ Full Load89%
91%**No Load Current Draw**1.25 AMPS
0.46 AMPS**Standby Current Draw**0.25 AMPS
0.15 AMPS**Low Battery Alarm**11.0 Volts
22.0 VDC**Low Battery Shutdown**10.5 VDC
21.0 VDC**Low Battery Auto Recovery**12.5 VDC
25.0 VDC**Over Heating Shutdown**

Automatic Shutdown @ 70 Deg. Celcius/158 Deg. Fahrenheit

Over Heating Auto Recovery

Automatic Recovery @ 45 Deg. Celcius/113 Deg. Fahrenheit

Input Over Voltage Shutdown15.3 VDC
30.6 VDC**Short Circuit Protection**

Yes

Overload Protection

Automatic Shutdown. Manual Restart

Reverse Polarity Protection

Fuse Protection

Dimensions

21.4 x 14.7 x 6.2 CM / 8.6 x 5.9 x 2.5 Inches

Weight

1.0 KGS. / 2.2 LBS.

AC Outlets

European Schuko - Australian - United Kingdom - USA

Remote Control

Remote Port

Model**PS2-200-112****PS2-200-124****Continuous AC Power**

200 Watts

200 Watts

Surge AC Power

400 Watts

400 Watts

DC Input Voltage

10.5 - 15.0 VDC

21.0 - 30.0 VDC

Output AC Voltage

100/110/120 VAC +/- 3%

Output AC Frequency

50/60 Hz. +/- 0.05%

Output AC Waveform

True Sine Wave (THD <3%)

Efficiency @ Full Load

91%

93%

No Load Current Draw

1.2 AMPS

0.6 AMPS

Standby Current Draw

0.25 AMPS

0.15 AMPS

Low Battery Alarm

11.0 Volts

22.0 VDC

Low Battery Shutdown

10.5 VDC

21.0 VDC

Low Battery Auto Recovery

12.5 VDC

25.0 VDC

Over Heating Shutdown

Automatic Shutdown @ 70 Deg. Celcius/158 Deg. Fahrenheit

Over Heating Auto Recovery

Automatic Recovery @ 45 Deg. Celcius/113 Deg. Fahrenheit

Input Over Voltage Shutdown

15.3 VDC

30.6 VDC

Short Circuit Protection

Yes

Overload Protection

Automatic Shutdown. Manual Restart

Reverse Polarity Protection

Fuse Protection

Dimensions

21.4 x 14.7 x 6.2 CM / 8.6 x 5.9 x 2.5 Inches

Weight

1.0 KGS. / 2.2 LBS.

AC Outlets

European Schuko - Australian - United Kingdom - USA

Remote Control

Remote Port