**Product Details**

Solar Ground Mount System

Yanglin Alu Ground Mounting is applicable for open field, it can be installed for residential or commercial project.

High pre-assembled makes install efficient and easy. The structure is made by high quality Aluminum alloy.

Brief Introduction

Install Site: Open Filed

Module Tilt Angle: **5-40** degree

Max Wind Speed: **60** m/s

Snow Load: **1.4** KN/m²

Material: Aluminum 6005-T5

Foundation: Ground screw or concrete block

Warranty: **10** years warranty; **25** years service life.

Installation Guide

Step 1: Fix foundation base on concrete block or ground screw.

Step 2: Fix front / rear leg on foundation base

Step 3: Fix pre-assembled beam

Step 4: Fix ground rail on beam one by one.

Step 5: Fix panel on rail until finished.

Components

A

YL-AG1-FS02, Foundation Base

B

YL-AG1-FL/RL/TL, Front/Rear/Tilt Leg

C

YL-AG3, 03# Beam

D

YL-AG3-CH01, 01# H Connect

E

YL-AG3-CH02, 02# H Connect

F

YL-R01, 01# Ground Rail

G

YL-BR-01, 01# Rail Clamp

H

YL-MC-40, Mid Clamp

I

YL-EC-40, End Clamp

Company Profile

1. Established in 2007, now we have 3 professional sell team, 6 people R&D with 10 year's customized experience on PV structure,

more than 100 workers with more than 7,000m2 workshop.

2. Product category: Flat Roof Mount, Pitch Tile Roof Mount, Tin Roof Mount, Adjustable Tin Roof Mount, Ground Mount, Solar

Carport, Mesh Fence, Solar Farm, Ground Screw, Tile Hook and all kinds of solar mount components.

3. We are factory, compare with purchase from trading company, you can save 15% -40%.

4. Quick Delivery: 5-15 days after received your deposit.

5. Making perfect quality is our unceasing pursuit.

6. We regard first-class quality and credit as our tent, and hold the principle of " equity and mutually, honesty and faith" to

supply excellent service for our customers, We warmly welcome you to negotiate and make progress with us hand in hand.

Factory Corners:

Australia

Japan

USA

**Brazil**

Vietnam

Vietnam

Project

Product packaging