




Modified Sine Wave Power Inverter


Model	NV-M150			
Rated Power	150W			
Peak Power	300W			
Input Voltage	12V		24V	
Output Voltage	110V	220V	110V	220V
Frequency	50/60Hz±3			
USB Port	5V,500mA(Optional)			
Output Waveform	Modified Sine Wave 			
Protection Function	Bat.Low Voltage Alarm&Shut Down,OverLoad,Over Temperature,Over Voltage,ShortCircuit,Reverse Polarity			
Dimension	14*11.3*5.7cm(L*W*H)			
N.W./unit	0.5kg			
QTY/Ctn	20Pcs			
Packing	Gift box			
Meas./Ctn	43.5*30.8*37cm,14.8Kgs			
Warranty	18 Months			

Modified Sine Wave Power Inverter


Model	NV-M300			
Rated Power	300W			
Peak Power	600W			
Input Voltage	12V		24V	
Output Voltage	110V	220V	110V	220V
Frequency	50/60Hz±3			
USB Port	5V,500mA(Optional)			
Output Waveform	Modified Sine Wave 			
Protection Function	Bat.Low Voltage Alarm&Shut Down,OverLoad,Over Temperature,Over Voltage,ShortCircuit,Reverse Polarity			
Dimension	16.6*11.3*5.7cm(L*W*H)			
N.W./unit	0.6kg			
QTY/Ctn	20Pcs			
Packing	Gift box			
Meas./Ctn	43.5*30.8*37cm,17.8Kgs			
Warranty	18 Months			


Modified Sine Wave Power Inverter

Model	NV-M500			
Rated Power	500W			
Peak Power	1000W			
Input Voltage	12V		24V	
Output Voltage	110V	220V	110V	220V
Frequency	50/60Hz±3			
USB Port	5V,500mA(Optional)			
Output Waveform	Modified Sine Wave 			
Protection Function	Bat.Low Voltage Alarm&Shut Down,OverLoad,Over Temperature,Over Voltage,ShortCircuit,Reverse Polarity			
Dimension	21.7*11.3*5.7cm(L*W*H)			
N.W./unit	0.85kg			
QTY/Ctn	15Pcs			
Packing	Gift box			
Meas./Ctn	45.7*28.3*37cm,17.9Kgs			
Warranty	18 Months			





Modified Sine Wave Power Inverter

Model	NV-M600			
Rated Power	600W			
Peak Power	1200W			
Input Voltage	12V		24V	
Output Voltage	110V	220V	110V	220V
Frequency	50/60Hz±3			
USB Port	5V,500mA(Optional)			
Output Waveform	Modified Sine Wave 			
Protection Function	Bat.Low Voltage Alarm&Shut Down,OverLoad,Over Temperature,Over Voltage,ShortCircuit,Reverse Polarity			
Dimension	21.7*11.3*5.7cm(L*W*H)			
N.W./unit	0.85kg			
QTY/Ctn	15Pcs			
Packing	Gift box			
Meas./Ctn	45.7*28.3*37cm,17.9Kgs			
Warranty	18 Months			






Modified Sine Wave Power Inverter

Model	NV-M1000			
Rated Power	1000W			
Peak Power	2000W			
Input Voltage	12V		24V	
Output Voltage	110V	220V	110V	220V
Frequency	50/60Hz±3			
USB Port	5V,500mA(Optional)			
Output Waveform	Modified Sine Wave 			
Protection Function	Bat.Low Voltage Alarm&Shut Down,OverLoad,Over Temperature,Over Voltage,ShortCircuit,Reverse Polarity			
Dimension	26.8*17*7.8cm(L*W*H)			
N.W./unit	2.1kg			
QTY/Ctn	10Pcs			
Packing	Gift box			
Meas./Ctn	66.5*35.8*49cm,27Kgs			
Warranty	18 Months			





Modified Sine Wave Power Inverter

Model	NV-M1500			
Rated Power	1500W			
Peak Power	3000W			
Input Voltage	12V		24V	
Output Voltage	110V	220V	110V	220V
Frequency	50/60Hz±3			
USB Port	5V,500mA(Optional)			
Output Waveform	Modified Sine Wave 			
Protection Function	Bat.Low Voltage Alarm&Shut Down,OverLoad,Over Temperature,Over Voltage,ShortCircuit,Reverse Polarity			
Dimension	32*17*7.8cm(L*W*H)			
N.W./unit	2.65kg			
QTY/Ctn	5Pcs			
Packing	Gift box			
Meas./Ctn	67*24.8*41.5cm,18Kgs			
Warranty	18 Months			





Modified Sine Wave Power Inverter

Model	NV-M2000			
Rated Power	2000W			
Peak Power	4000W			
Input Voltage	12V		24V	
Output Voltage	110V	220V	110V	220V
Frequency	50/60Hz±3			
USB Port	5V,500mA(Optional)			
Output Waveform	Modified Sine Wave 			
Protection Function	Bat.Low Voltage Alarm&Shut Down,OverLoad,Over Temperature,Over Voltage,ShortCircuit,Reverse Polarity			
Dimension	33*22*10cm(L*W*H)			
N.W./unit	4.4kg			
QTY/Ctn	3Pcs			
Packing	Gift box			
Meas./Ctn	52.5*27.5*16.5cm,17Kgs			
Warranty	18 Months			





Modified Sine Wave Power Inverter

Model	NV-M3000			
Rated Power	3000W			
Peak Power	6000W			
Input Voltage	12V		24V	
Output Voltage	110V	220V	110V	220V
Frequency	50/60Hz±3			
USB Port	5V,500mA(Optional)			
Output Waveform	Modified Sine Wave 			
Protection Function	Bat.Low Voltage Alarm&Shut Down,OverLoad,Over Temperature,Over Voltage,ShortCircuit,Reverse Polarity			
Dimension	48*21.5*9.4cm(L*W*H)			
N.W./unit	5.6kg			
QTY/Ctn	3Pcs			
Packing	Gift box			
Meas./Ctn	54*30*52.7cm,21Kgs			
Warranty	18 Months			




Pure Sine Wave Power Inverter

Model	NV-P300			
Rated Power	300W			
Peak Power	600W			
Input Voltage	12V		24V	
Output Voltage	110V	220V	110V	220V
Frequency	50/60Hz±3			
USB Port	5V,500mA(Optional)			
Output Waveform	Pure Sine Wave 			
Protection Function	Bat.Low Voltage Alarm&Shut Down,OverLoad,Over Temperature,Over Voltage,ShortCircuit,Reverse Polarity			
Dimension	21.7*11.3*5.7cm(L*W*H)			
N.W./unit	0.95kg			
QTY/Ctn	15Pcs			
Packing	Gift box			
Meas./Ctn	45.7*28.3*37cm,18.7Kgs			
Warranty	18 Months			




Pure Sine Wave Power Inverter

Model	NV-P500			
Rated Power	500W			
Peak Power	1000W			
Input Voltage	12V		24V	
Output Voltage	110V	220V	110V	220V
Frequency	50/60Hz±3			
USB Port	5V,500mA(Optional)			
Output Waveform	Pure Sine Wave			
Protection Function	Bat.Low Voltage Alarm&Shut Down,OverLoad,Over Temperature,Over Voltage,ShortCircuit,Reverse Polarity			
Dimension	26.8*17*7.8cm(L*W*H)			
N.W./unit	1.95kg			
QTY/Ctn	10Pcs			
Packing	Gift box			
Meas./Ctn	66.5*35.8*49cm,27.3Kgs			
Warranty	18 Months			




Pure Sine Wave Power Inverter

Model	NV-P600			
Rated Power	600W			
Peak Power	1200W			
Input Voltage	12V		24V	
Output Voltage	110V	220V	110V	220V
Frequency	50/60Hz±3			
USB Port	5V,500mA(Optional)			
Output Waveform	Pure Sine Wave			
Protection Function	Bat.Low Voltage Alarm&Shut Down,OverLoad,Over Temperature,Over Voltage,ShortCircuit,Reverse Polarity			
Dimension	26.8*17*7.8cm(L*W*H)			
N.W./unit	1.95kg			
QTY/Ctn	10Pcs			
Packing	Gift box			
Meas./Ctn	66.5*35.8*49cm,27.3Kgs			
Warranty	18 Months			





Pure Sine Wave Power Inverter

Model	NV-P1000			
Rated Power	1000W			
Peak Power	2000W			
Input Voltage	12V		24V	
Output Voltage	110V	220V	110V	220V
Frequency	50/60Hz±3			
USB Port	5V,500mA(Optional)			
Output Waveform	Pure Sine Wave			
Protection Function	Bat.Low Voltage Alarm&Shut Down,OverLoad,Over Temperature,Over Voltage,ShortCircuit,Reverse Polarity			
Dimension	32*17*7.8cm(L*W*H)			
N.W./unit	2.65kg			
QTY/Ctn	5Pcs			
Packing	Gift box			
Meas./Ctn	67*24.8*41.5cm,17.5Kgs			
Warranty	18 Months			





Pure Sine Wave Power Inverter

Model	NV-P1500			
Rated Power	1500W			
Peak Power	3000W			
Input Voltage	12V		24V	
Output Voltage	110V	220V	110V	220V
Frequency	50/60Hz±3			
USB Port	5V,500mA(Optional)			
Output Waveform	Pure Sine Wave 			
Protection Function	Bat.Low Voltage Alarm&Shut Down,OverLoad,Over Temperature,Over Voltage,ShortCircuit,Reverse Polarity			
Dimension	40*17*7.8cm(L*W*H)			
N.W./unit	3.55kg			
QTY/Ctn	5Pcs			
Packing	Gift box			
Meas./Ctn	66.5*24.5*47cm,23Kgs			
Warranty	18 Months			




Pure Sine Wave Power Inverter

Model	NV-P2000			
Rated Power	2000W			
Peak Power	4000W			
Input Voltage	12V		24V	
Output Voltage	110V	220V	110V	220V
Frequency	50/60Hz±3			
USB Port	5V,500mA(Optional)			
Output Waveform	Pure Sine Wave 			
Protection Function	Bat.Low Voltage Alarm&Shut Down,OverLoad,Over Temperature,Over Voltage,ShortCircuit,Reverse Polarity			
Dimension	45*15*9cm(L*W*H)			
N.W./unit	5.1kg			
QTY/Ctn	3Pcs			
Packing	Gift box			
Meas./Ctn	52.5*27.5*16.5cm,19.5Kgs			
Warranty	18 Months			



Pure Sine Wave Power Inverter

Model	NV-P3000			
Rated Power	3000W			
Peak Power	6000W			
Input Voltage	12V		24V	
Output Voltage	110V	220V	110V	220V
Frequency	50/60Hz±3			
USB Port	5V,500mA(Optional)			
Output Waveform	Pure Sine Wave 			
Protection Function	Bat.Low Voltage Alarm&Shut Down,OverLoad,Over Temperature,Over Voltage,ShortCircuit,Reverse Polarity			
Dimension	48*21.5*9.4cm(L*W*H)			
N.W./unit	6.85kg			
QTY/Ctn	3Pcs			
Packing	Gift box			
Meas./Ctn	54*30*52.7cm,25Kgs			
Warranty	18 Months			