

Timi-Lit PW Series

Lithium Battery




SPECIFICATIONS

Model	Timi-Lit PW5000A	Timi-Lit PW10000A
Rated energy	5.12kWh	10.24kWh
Rated voltage	51.2V	51.2V
Rated capacity	100Ah	200Ah
Voltage range	40~58.4V	40~58.4V
Recommended charge current	<50A	<100A
Max. discharge current	100A	200A
Cycle life	>6000 cycles @ 80% DOD	>6000 cycles @ 80% DOD
Dimension (W*D*H, mm)	442*435*154	650*485*180
Weight	48kg	90kg
Communication Mode	RS485 / CAN	
Charging temperature	0°C~45°C	
Discharging temperature	-20°C~60°C	
Recommended storage temperature	15°C~35°C	



Intelligent BMS



Top Quality Battery Cell



Super Safety



Long Lifespan



info@timipower.com



Timi-Lit RK Series

Lithium Battery



SPECIFICATIONS

Model	Timi-Lit RK3000A	Timi-Lit RK5000A
Rated energy	3.07kWh	5.12kWh
Rated voltage	51.2V	51.2V
Rated capacity	60Ah	100Ah
Voltage range	40~58.4V	40~58.4V
Recommended charge current	≤ 30A	≤ 50A
Max. discharge current	70A	100A
Cycle life	>6000 cycles @ 80% DOD	>6000 cycles @ 80% DOD
Dimension (W*D*H, mm)	442*430*88	442*470*154
Weight	30kg	46kg
Communication Mode	RS485 / CAN	
Charging temperature	0°C~45°C	
Discharging temperature	-20°C~60°C	
Recommended storage temperature	15°C~35°C	



Indoor Cabinet



Outdoor Cabinet



Intelligent BMS



Top Quality Battery Cell



Super Safety



Long Lifespan



info@timipower.com



Timi-Lit HV Series

High Voltage Lithium Battery



SPECIFICATIONS

Model	Timi-Lit HV50	Timi-Lit HV70	Timi-Lit HV100
Module rated voltage	51.2V		
Rated capacity	50Ah	75Ah	100Ah
System rated voltage range	51.2V~1000V(Match with neutral line design)		
Mas. discharge current	600A (Single battery cabinet)		
Module Dimension (W*D*H, mm)	442*430*108	442*430*108	442*430*108
Module Weight	28kg	40kg	52kg
LED display	Customized		
BMS	Integrated with software BMS		
Charging temperature	0°C~45°C		
Discharging temperature	-20°C~60°C		
Cycle life	>6000 times@25°C, 0.5C,80%DOD		
Shell	Metal		



Intelligent BMS



Top Quality Battery Cell



Super Safety



Long Lifespan



Battery Module




CBMS



info@timipower.com



Can't Find the Models You Need?



CONTACT US
FOR OEM **CUSTOMIZING**



+86 132 49431968

info@timipower.com

