

Innovation
for A Better Life

COSLINK ESS

CHANGE YOUR ENERGY PROVIDE ENERGY INDEPENDENCE

EnerSmart
BS48V200 Li-ion Battery

www.coslinkess.com
Official Authorized ESS Integrator of CATL



Features and Advantages



Smarter

- Smart active control technology
- Intelligent charge & discharge control
- Integrated BMS and high efficiency BDC optimizer



High performance

- Cycle life: **6000 times**
- Wide application temperature range
- Excellent current balancing performance
- Mixed use with lead-acid battery & conventional lithium batteries



Great safety

- Reliable LiFePO4 cells
- Multiple real-time warnings and protections
- Built-in pressure release valve



Compact and modular

- Standard 19" rack-mounted design (5U)
- Modular design



Certification compliant

- IEC62619, UN38.3, EN61000



Smart management

- Local & remote monitoring
- Advanced working modes: peak shaving mode, peak shifting mode, etc.
- Precise calibration of SOC and SOH



The Leader of ESS Active Control Technology
Provide Professional OEM/ODM Solution and Product



UN38.3

Model	BS48V200
Battery Type	LFP
Rated Voltage [V]	48
Rated Capacity [Ah]	220Ah@48V, 0.35C, 25°C
Dimensions [W*D*H, mm]	442 * 560 * 220 (without brackets)
Discharging Voltage Range [V]	42~58 (consistent voltage)
Output Power [W]	3800
Max. Continuous Discharging Current [A]	70
Weight [kg]	82
Cycle Life [Times]	6000 times (25 °C, 0.35C, 80%DOD)
Communication	RS485 * 1, CAN * 1, and dry contact * 2
Parallel Connection	Up to 32 packs (CAN) / 16 packs (RS485)
Balance Method	Passive balancing
Equalizing Current [mA]	100
Heat Dissipation	Forced air cooling
Working Temperature [°C]	Charging: 0 ~ 45; discharging: -20 ~ 45
Storage Temperature [°C]	-30 ~ 60
Relative Humidity	5% ~ 95% RH (non-condensing)
Protection and Alarm	Overheat, over-current, short circuit, over-charging, over-discharging, etc.
Designed Life Time	15 years
Working Methods	Constant voltage output mode
Anti-Theft	Gyroscope

Performance Curve



Note: The above information may subject to update without prior notice.