


- ♦ 51.2V 100Ah LiFePO4 Battery Powerwall
- ◆ 100A Charge & Discharge Current
- ◆ Max 5 units in Parallels to get 25.6kwh
- ◆ Compitable with Numerous Inverter Brands
- ◆ Wall-mounted / on the floor

Powerwall Battery

ES-BOX2 5.12KWH




Exploded view





Support 5 units in Parallels to get 25.6KWH.



Website: www.genixenergy.com





Model	ES-BOX2 5.12KWH
Battery Type	LiFePO4
Energy	5120Wh
Rated Capacity	100Ah
Rated Voltage	51.2V
Battery cell	3.2V 100Ah Pirsmatic Battery Cell
Configuration (*S*P)	16S1P
Disharge Cut-off Protect Voltage	40V
Charge Cut-off Protect Voltage	58.4V
Max. Charge Current	100A
Max. Discharge Current	100A
Communication Port	CAN, RS485
Compitable Inverter Brand	SMA, Growatt, Solax, Solis, DEYE, Sungrow, Sofar, Voltronic, Sorotec, Studer, etc.
Parallel	Max. 5 units in Parallels to get 25.6kwh.
Cycle life	100% DOD 3000 times
L*W*H (mm)	600*510*173
Net Weight (KG)	58KG
Cooling	Natural cooling
Environment	Indoor
Mounting options	Floor or wall mount
Discharge Temperature (°C)	-10°C~+60°C
Charge Temperature (°C)	0°C~+45°C
Storage Conditions	-20° C to 30° C (-4° F to 86° F)Up to 95% RH, non-condensingState of Energy (SoE): 25% initial
Maximum Elevation	3000 m (9843 ft)

Compitable inverter Brand:





















