

PV-ezRack®

By Clenergy 

ComT

Tilt mounting system for PV installation on tin roof's



PV-ezRack ComT

The Clenergy PV-ezRack ComT is an universal and fast mounting system for PV installation on all residential or commercial flat tin roofs. With its flexible and scalable design it enables perfect utilization of roof surface available. With tilt angles of 5°, 10° or 15°, the PV panels can generate a maximum output. Both silver and black anodized components are available.



FL-COMT/Z/G & RL-COMT/Z/G

Legs Assembly

Highly pre-assembled Legs enable easy and fast installation. Manufactured from aluminum offer excellent corrosion resistance.



S-MT

MT-Rail Support


The MT-Rail Support (240 mm/440 mm) is special developed for tin roofs with large span purlins. Glued EPDM pad applied for water-resistance protection.




ER-R-T

T-Rail

The Rail profile has been specially developed to achieve large spans to reduce the number of interfaces to be fixed. Both T-Rail 50 and T-Rail 110 available.



EZ-CT-40/40/2560



CO-MT/855

Cable Tray

The Cable Tray is special developed for holding cables, which keep module interconnect cables neatly connected to the mounting rails so they do not drop below the array. Work with the Cover for MT-Rail as a new solution for cable management.

Cover for MT-Rail

Main Benefits

Easy and quick installation

Highly pre-assembled legs enable easy and fast installation. With our patented Z-Module, the legs can easily click into the slot of Rails at any given points.

Optimize energy output


The Legs can mount PV panels that width up to 1200 mm. And with 5° (available soon), 10° and 15° (available soon) tilt angles options, PV-ezRack ComT can offer optimized energy output.

Two Optional Solutions

The solution using MT Rail in conjunction with T-Rails and Legs is specially developed for tin roofs with a large purlin span over 3 m. And the other one using our popular L-feet, ECO Rails and new Legs offers flexible height adjustable range.

Universal


The adjustable clamps can mount framed PV panels that height from 30 to 46 mm. And with Clenergy various frameless clamps, PV-ezRack ComT can mount every size of frameless or thin film panels.



ER-I-05 ER-I-05/CM ER-I-05A/EZC/ECO ER-I-25 EZ-AD-C43

Tin interface


The robust aluminium L-feet, which provides a height adjustment of almost 30mm, is designed for corrugated and trimdek type tin roofs. It comes with Z-Module, Click Module or ez Connection, which is pre-assembled and helps to ease the Rail installation.



ER-R-ECO

ECO Rail

Specifically developed to achieve larger spans, the ECO-Rail has reduced the number of required fixings. The ECO-Rails have two patented Z-Module channels with one at top for panel mounting and the second on side for connecting to the roof interface.



ER-RC-T/DM

Rail Clamp for T-Rail, with Diamond Module

The Rail Clamp is used to fix Rail. Pre-assembled design could make the installation easier.

Available accessories

Grounding/earthing




Cable clips



Materials

AL6005-T5 | SUS304

Contact us or one of our qualified resellers for a personalised quotation today.



*see Clenergy PV-ezRack warranty for further details



Clenergy Australia

1/10 Duerdin Street, Clayton VIC 3168 Australia
 Tel: +61 3 9239 8088 Fax: +61 3 9239 8024
 E-mail: sales@clenergy.com.au
www.clenergy.com.au

Clenergy China

999-1009 Min'an Rd, Huoju Hi-tech Ind. Dev. Zone
 Xiang'an District 361101, Xiamen, Fujian, China
 Tel: +86 592 311 0088 Fax: +86 592 599 5028
 E-mail: sales@clenergy.com.cn
www.clenergy.com.cn

Clenergy EMEA

Esplanade 41, 20354 Hamburg, Germany
 Tel: +49 (0) 40 3562 389 00
 E-mail: sales.emea@clenergy.com

Clenergy Japan

Nittochi Yamashita Building 5th Floor
 23 Yamashita-cho, Yokohama, 231-0023 Japan
 Tel: +81 45 228 8226 Fax: +81 45 228 8316
 E-mail: sales@clenergy.co.jp
www.clenergy.jp

Clenergy Philippines

145 Yakal St., San Antonio village, Makati City,
 Philippines
 Tel: +63 977 8407240
 E-mail: sales_ph@clenergy.com
www.clenergy.ph

Clenergy Thailand

9/2, 5th Floor, Vorasin Building, Soi Yasooob 2, Viphavadee-Rungsit
 Road, Chomphon Sub-district, Chatuchak District, Bangkok 10900
 Tel: +66 (0) 2 277 5201, +66 (0) 6 3228-0200
 E-mail: sales_th@clenergy.com, support_th@clenergy.com
www.clenergythailand.com

Clenergy Singapore

24 Raffles Place #28-01 Clifford Centre Singapore 048621
 Tel: +65 9743 1425
 E-mail: vincent.chan@clenergy.com

Clenergy Malaysia

Tel: +86 18750231005
 E-mail: sales_em@clenergy.com

Clenergy Vietnam

Tel: +86 592 3110095
 E-mail: sales_vietnam@clenergy.com; susie.chen@clenergy.com

Clenergy Korea

Tel: +8210-4684-8088
 E-mail: sales.kr@clenergy.com

Worldwide Network



10 Year Warranty*

Clenergy PV-ezRack ComT 202012