

# **DATA SHEET**

KH 12-200LFP

## KEHENG 12V 200Ah LiFePO4 LITHIUM BATERY

Crafted out of Lithium Iron Phosphate (LiFePO4) technology, this is a battery built to last. With 2,000+ recharge cycles (and up to 7,000 under ideal charging conditions) the 100 Ah provides 5 X the lifespan than your typical SLA battery. Combine 2 for 24 Volts or 3 for a 36 Volt system. ideal for industrial purposes where you need a long lifespan battery that charges quickly, or for outdoor uses like hiking or camping where weight is at a premium. Built in smart BMS, which can realize Bluetooth function and battery level display optional.

# Optional: Bluetooth LCD Display













## SPECIFICATIONS

| Nominal Voltage  | 12.8V  |
|--|--|
| Rated Capacity   | 200AH @0.2C to 9.6V  |
| Stored energy  | 2560Wh   |
| Cycle life@100%DOD                                       | 2000 Cycles  |
| Approx. Weight   | 21 kg  |
| Internal Resistance                                      | ≤25.0 m Ω  |
| Max. Charge Current                                      | 100 A  |
| Max. Discharge Current                                   | 150 A  |
| Charge Cut-off Voltage                                   | 15.2V  |
| Discharge Cut-Off Voltage                                | 9.6V   |
| Dimensions   | L490mm×W170mm×H242mm   |
| Series & Parallel Connection                             | Up to 4 batteries  |
| Operating Temperature Range Charge Discharge Recommended | 32°F (0°C) to 113°F (45°C)<br>14°F (-10°C) to 140°F (60°C)<br>59°F (15°C) to 95°F (35°C) |
| Self-Discharge Rate                                      | ≤3%/month  |
| Life Expectancy (years)                                  | 15 years at one cycle per day  |
| Self Discharge   | Approx. 2% per month @ 20° C   |
| Long Term Storage  | Charge every 6 months  |
| Short Circuit Protection                                 | Automatically recover after removal of short   |
| Terminal Type  | Female Copper Insert M8 (M8/mm)  |

#### **COMPLIED STANDARD**

- ✓ IEC 62133
- ✓ UL 1642
- √ ISO9001
- / ISO14001
- ✓ UN38.3

#### INTELLIGENT BMS FUNCTION


- Overcharge detection function
- Over discharge detection function
- Over current detection function
- Short detection function
- > Temperature detection function
- Balance function

#### **BLUETOOTH® ENABLED**

Monitor the State of Charge (SoC), State of Health (SoH), current, capacity, temperature, number of cycles, and voltage levels of the battery and individual cells from APP.

#### **APPLICATIONS**

Medical Solar Wind Mobility Data Center Transport Sports & Recreation Utility



#### **BENEFITS OF LITHIUM**

Lithium offers several perormance benefits versus it's sealed lead acid (SLA) equivelant. A lithium battery's capacity is independent from the discharge rate and provides constant power throughout it's discharge. The degredation of a lithium battery at a high temperature is significantly reduced in comparison to SLA. Lithium has ten times the cycle life as SLA at room temperature. Even at an elevated temperature, lithium still has increased cycle life over SLA at room temperature. Lastly, Lithium charging follows a similar charging profile as SLA, Constant Current Constant Voltage (CC/CV). However, lithium can be charged faster, without the need for a maintenance float charge.

