

# Introducing the: **POWERBALE 60XL/60XXL** **Semi-Automatic Horizontal Baler**

**MHM Powerbale 60XL - Loading Aperture 1.5m**

**MHM Powerbale 60XXL - Loading Aperture 2.0m**



## **General Description :**

This Horizontal Baling machine can produce bales sizes of (1200mm-1500mm x 1100mm x 1100mm (L x W x H ) with weights up to 750kg depending on the waste stream and makes light work of baling large volumes of waste materials with the minimum amount of effort.

**Produces 32 bales per shipping container achieving maximum weight capacity**

Automatic Start - Automatic Compacting Cycle - Manual Tying

The Twin Ram Market leading Portcullis end door has been designed to eliminate any pulling & snapping of bale wire on ejection.

Bale chamber wear plates as standard.

Machine could be set to work with 3 different programs which change baling capabilities for different products to ensure consistency of bale weights.

Ripping Teeth are fitted as Standard.



MHM Recycling Equipment Manufacturer

The Works, Fenhouses Drove, Swineshead, Boston, Lincolnshire, United Kingdom, PE20 3HE  
Telephone +44 (0)1205 821522 Fax +44 (0)1205 821554 Email [sales@mhmetalwork.co.uk](mailto:sales@mhmetalwork.co.uk)

Visit our website at: [www.mhmrecycling.co.uk](http://www.mhmrecycling.co.uk)

MHM Recycling Equipment Manufacturer is a division of MH Metalwork and Engineering Services Ltd.

# Powerbale 60XL/60XXL Semi-Automatic Horizontal Baler

## Options available:

- Custom Hopper Designs
- Conveyor Feed
- Bale Eject Beacon/Buzzer
- Retention Claws
- Bin Lift with Safety Cage
- Left or Right Hand Side Layout
- Personal Safety Bar/Contact



## Technical Specification

Bale Size Nominal:	1200mm-1500mm x 1100mm x 1100mm ( L x W X H )
Bale Length:	1200mm - 1500mm
Bale Weight:	up to 750kg (dependent on waste stream)
Compaction Force:	60 Tonnes
Motor Power:	15kW - 18kW
Cylinder Bore:	200mm
Bale Discharge:	Full Eject
Bale Chamber End Door:	Vertical Hydraulic
Wire/Tape Tying:	5 Horizontal Wire Ties
Bale Full & Pre Full Indicators:	Standard
Baling Wire or Tape Holders:	Standard
Automatic & Manual Cycle Operation:	Standard
Bin Tipper Range:	240 - 1100 Litre ( Optional)
Average Cycle Time:	50 Seconds
Power Supply Rating:	32 Amp 3P & E, D-Rated Breaker

### Dimensions:

Loading Aperture Nominal 60XL:	1500mm x 1100mm (L x W)
Loading Aperture Nominal 60XXL:	2000mm x 1100mm (L x W)
Overall Baler Length 60XL:	7400mm
Overall Baler Length 60XXL:	8400mm
Overall Baler Width:	1800mm
Overall Height:	2800mm
Open Hopper Extension:	500mm



### Pictured above:

Heavy duty serrated cutting knife makes light work of cutting and baling with the minimum amount of effort.